



Delivering L.B. Foster innovation



PRECAST CONCRETE PRODUCTS

Farm Products and Septic Systems

Reliable Delivery and Installation

800.837.8918

LIVESTOCK WATERERS

Freeze-Proof Waterer

Pressure or spring with 1½" brass pipe coupling

- Ice free water supply all winter long
Energy-efficient design provides up to 100 gallons of ice-free water with little maintenance.
- Operates without electricity
Unique design utilizes earth's warmth to operate without electricity.
- Preserves ponds and protects livestock
Prevents the risk of pond contamination and disease with minimal water waste and only requires six gallons of water per hour of circulation.
- Durable, dependable and easy to maintain
Steel-reinforced precast concrete construction.



100 Gallon Waterer

Pressure or spring with 1½" brass pipe coupling

72" length x 30" width x 24" height

- Great for the environment and livestock
Provides clean water, safeguards natural water supply, and reduces the risk of contamination.



400 Gallon Waterer

Pressure or spring with 1½" brass pipe coupling

6' 6" diameter x 30" height, 4" PVC opening (no plumbing), 12" hole (no plumbing), 1½" brass pipe (no plumbing)

- Easy installation
Minimal site preparation with effortless pipe construction.
- Durable construction and design
Will never rot or rust and circular design resists cracking and eliminates stress points.
- Great for the environment and livestock
Provides clean water, safeguards natural water supply and reduces risk of contamination. The circular shape and smooth contoured edges protect livestock from injury.



CATTLE GUARDS

- Saves a lifetime of gate-opening
No inconvenience of opening and shutting gates, but your livestock will always be secure and controlled. On a busy farm, our cattle guard may be your most productive asset.
- Sturdy, maintenance-free concrete construction
Made of steel-reinforced precast concrete construction, our cattle guard is guaranteed to withstand many years of heavy farm machinery and severe weather.
- Quick and easy installation
No footings or foundation are necessary and can be installed and operating in two to four hours. Delivered as a the single, precast unit and set in place.
- Proven effective on farms nationwide

Over the past 25 years, our cattle guard has been delivering protection and convenience to more than 20,000 farmers. The durable, safe design features rounded rails and built-in footings; while its special underside cutaway construction allows for more thorough drainage and easier, less frequent cleaning.

Specifications

Width	Cross Width	Depth	Weight	Rails	Steel- Heavy Duty Guard
14' 0"	6' 6"	12"	6500 lb	3" wide with 5" spacing	350' of 5/8" reinforcing rod



FEED BUNKS

- Long lasting

The long life of precast concrete feed bunks provides lower annual cost than other materials. Whether you choose the centerline or fenceline bunk, our durable concrete construction ensures many years of cost-effective operation.

- Exceptionally durable

Even in adverse climates, our steel-reinforced precast concrete (5000 PSI) will provide many years of service without decaying, rotting or rusting. Our feed bunks are factory-built to rigorous specifications so you can be assured of the finest quality.

- Protects livestock from injury

Our precast bunk features smooth, rounded corners and edges, and a hard-finished surface that reduces the possibility of injury to your livestock.

- Thorough feed cleanup

The bunk's all-contour design and finished surface allows livestock to feed with minimal effort, ensuring healthier, more productive animals. Reduced spoilage and easy cleanup provide savings in time, labor, and money.

- Greater overall efficiency

The modern feeding techniques and long life provided by our maintenance-free concrete bunk design can help eliminate additional labor and upkeep.

- Movable

Installation requirements are minimal allowing you to move the concrete bunk to suit your feeding needs. Whether you relocate or expand, you can continue to use the bunk to feed your livestock with efficiency, convenience, and economically.

Centerline (H) Feed Bunk

- » 8' length
- » 5' width
- » 2' 3 ¼" height
- » End plate



Fenceline (J) Feed Bunk

- » 8' length
- » 2' 1 ¼" width
- » 2' 6" back height
- » 1' 1 ¾" front height
- » End plate



SEPTIC SYSTEM PRODUCTS

Cisterns

2200 gallon round cistern with riser and lid

Accessories

- » 32" riser lid
- » 24" diameter x 24" height riser
- » 4" PVC threaded cap for easy filling



1000 gallon Septic Tanks

Meets state and local codes for West Virginia



Curb/Parking Bumpers

- » 6' curb bumper (8" w x 5" h)
- » 8' curb bumper (8" w x 5" h)



Trench Drain

- » for 12' wide grating
- » 9' 10 1/2" length
- » 1' 6 1/8" width





CXT

Delivering L.B. Foster innovation

362 Waverly Road
Williamstown, WV 26187

Toll free: 800.837.8918

Phone: 304.464.4441

Email: info@lbfoster.com

